



REF NO. N° DE RÉF	PART NO. N° DE PIÈCE	DESCRIPTION	DESCRIPTION
1	647-0004	Control Handle	Guidon de la commande
2	710-1270	Oval C-Sunk Scr 1/4-20 X 1.31" Lg.	Vis à tête noyée 1/4-20 X 1,31 po de lg.
3	712-0324	Hex Ins. L-nut 1/4-20 Gr. 8 Nylon	Écrou hex. 1/4-20 Qté 8 nylon
4	746-0883	Cable Housing	Logement du câble
6	749-0705A	Upper Handle	Guidon supérieur
7	710-1205	Rope Guide Bolt	Boulon de guidage de cordon
8	710-1174	Carriage Bolt 5/16-18 x 2.0	Boulon ordinaire 5/16-18 x 2.0
9	749-0928A	Lower Handle	Guidon inférieur
10	720-0279	Knob - ERS Guide 1/4-20	Bouton - 1/4-20
11	720-0284	Wingnut Knob, 5/16-18	Bouton 5/16-18
12	714-0104	Int. Cotter Pin .072 X 1.13" Lg.	Goupille fendue .072 X 1,13 po. de lg.
13	748-0554	Control Cable 40.5" Lg. Yellow	Câble de la commande 40.5 po jaune
15	726-0240	Cable Tie	Attache câble
16	17098	Hinge Clip	Attache
17	731-0872A	Rear Flap	Abattant de protection arrière
18	682-0139	Deck Assembly	Tablier
19	736-0105	Bell. Washer .375 ID X .870 OD X .063	Rondelle Bell .375 DI X .870 DE X .063
20	720-0426	Knob	Bouton
21	732-0404	Spring Lever	Levier de ressort
22	734-2004A	Wheel Assembly 8" X 2.125"	Ensemble de roue 8 X 2,125 po.
22	734-1978	Wheel Assembly 8" X 2"	Ensemble de roue 8 X 2 po.
23	736-0504	Wave Washer .51" ID	Rondelle ondulée .51 DI
24	738-0102	Axle Bolt	Boulon de l'essieu
25	731-1426	Hub Cap - Yellow Radial	Moyeu de chapeau -jaune
	731-0981A	Hub Cap - Grey Radial	Moyeu de chapeau -gris
	731-0982A	Hub Cap - Grey Radial	Moyeu de chapeau -gris
26	738-0507B	Shoulder Screw .50 Dia.	Vis à épaulement .50 Dia.
27	15262B	Wheel Pivot Bar	Barre de pivot
28	682-3024	Adjust/Brkt. Ass'y RH	Support - droit
28	682-3025	Adjust/Brkt. Ass'y LH	Support - gauche
29	738-0585	Stake Bolt 3/8 X .72 lg.	Boulon de pleu 3/8 X ,72 po. de lg.
30	732-0731	Torsion Spring	Ressort de torsion
31	14578	Height Adj. Ass'y RH (w/knob)	Ensemble de réglage de roue CD (avec bouton)
31	14579	Height Adj. Ass'y LH (w/knob)	Ensemble de réglage de roue -CG (avec bouton)
32	782-7006	Plug Adapter	Adaptateur
33	738-0270	Bell. Washer .265 ID X .75 OD X .062	Rondelle Bell. .265 DI X .75 DE X .062
34	710-0599	Hex Wash S-Tapp Scr 1/4-20 X .50	Vis autotaraudeuse à rondelle hex. de 1/4-20 X 0,5
35	710-0654A	Hex Wash HD Tap Scr 3/8-16 X .88	Vis autotaraudée 3/8-16 X .88
36	731-1409	Chute Deflector	Deflecteur
37	682-0119	Mulching Plug	Bouchon
38	712-0431	Flanged Lock Nut 3/8-18	Écrou de blocage 3/8-18
39	15261A	Height Adjuster Plate	Plaque de réglage de roue
40	731-1833	Front End Cover -Yellow	Couvercle-jaune
	731-1849	Front End Cover-Black	Couvercle-noir
41	748-0376C	Blade Adapter	Adaptateur de la lame
42	742-0740	20" Mulching Blade	Lame 20 po
43	736-0524A	Blade Bell Support	Support de lame
44	710-1044	Hex Bolt 3/8-24 x 1.5" Lg. (Grade 8)	Vis à tête hex. 3/8-24 x 1.5 po de lg (Qté 8)
45	747-0710	Hinge Pin	Axe fixe
46	736-0451	Saddle Wash. .320 ID X .83 OD	Rondelle selle ,320 DI X ,83 DE

106
12.9.02

THREE (3) YEAR LIMITED WARRANTY

For three (3) years from the date of original purchase of our products, we will either repair or replace, at its option, free of charge, F.O.B. Factory or authorized service firm, any part found to be DEFECTIVE IN MATERIAL and WORKMANSHIP for the original purchaser. All transportation charges on parts submitted for replacement under this warranty must be paid by the purchaser unless return is requested by the manufacturer.

This warranty DOES NOT apply to any part which has become inoperative through misuse, excessive use, accident, neglect, improper maintenance or alterations by unauthorized persons.

The limited warranty does not extend to the replacement of parts which are not defective, but where regular usage has exhausted the life of the part.

ENGINES, ELECTRIC START KITS, PEERLESS TRANSMISSIONS AND PEERLESS TRANSAXLES ARE WARRANTED BY THEIR RESPECTIVE MANUFACTURER. ALL CLAIMS AGAINST THESE COMPONENTS MUST BE HANDLED THROUGH THE RESPECTIVE MANUFACTURER'S SERVICE DEALERS.

Belts, light bulbs, clutch parts (friction wheels), grass bags, tires, seats, rider deck wheels and cutting blades are covered by a 60 day limited warranty.

Batteries are covered by a 90 day limited warranty.

Fuses, shear bolts and blade adapters are considered consumable items and as such are not warranted.

NOTE: Regular maintenance replacement parts and related inspections and adjustments are excluded from coverage when made as part of normal maintenance service.

TRACTOR ATTACHMENT WARRANTY

Mower decks included with your product, or sold separately, as an attachment for your garden tractors will be warranted according to the above terms of the manufacturer three (3) year limited consumer warranty.

ALL OTHER ATTACHMENTS will be sold under the same condition as above except the warranty will be ONE YEAR FROM DATE OF ORIGINAL PURCHASE.

PERSONAL USE

THE FOREGOING PARAGRAPHS CONSTITUTE THE MANUFACTURER'S ENTIRE WARRANTY WITH RESPECT TO ANY PRODUCT PURCHASED AND USED FOR PERSONAL FAMILY, HOUSEHOLD/RESIDENTIAL PURPOSES, AS DISTINGUISHED FROM COMMERCIAL USAGE.

COMMERCIAL USE

ALL APPLICATIONS OTHER THAN PERSONAL USE AS OUTLINED ABOVE, ARE CONSIDERED COMMERCIAL USAGE.

New products purchased for commercial usage are warranted in the same manner and to the same extent EXCEPT the term of warranty will be 60 DAYS from date of purchase.

WARRANTY SERVICE CAN ONLY BE PERFORMED BY AN AUTHORIZED SERVICE DEALER. ANY NON-ORIGINAL EQUIPMENT REPLACEMENT PART USED ON OR IN A PRODUCT UNDER WARRANTY WILL BE EXCLUDED FROM THAT WARRANTY COVERAGE, AS WILL BE ANY RELATED DAMAGED COMPONENTS RESULTING FROM THE INSTALLATION OF A REPLACEMENT PART FROM ANOTHER SOURCE OTHER THAN THE MANUFACTURER.